



1643

Group No.:

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Richard P. Woychik et al.

Serial No.:

09/103,846

Filed:

Entitled:

06/24/98

Examiner: **ALLELIC SERIES OF GENOMIC MODIFICATIONS**

IN CELLS

RECEIVED

TECH CENTER 1600/2900

INFORMATION DISCLOSURE STATEMENT TRANSMITTAL

Assistant Commissioner for Patents Washington, D.C. 20231

CERTIFICATE OF MAILING UNDER 37 C.F.R. § 1.8(a)(1)(i)(A)

I hereby certify that this correspondence (along with any referred to as being attached or enclosed) is, on the date shown below, being deposited with the U.S. Postal Service with sufficient postage as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231

Dated: May 24, 1999

Anne M. Neiswand

Sir or Madam:

Enclosed please find an Information Disclosure Statement and Form PTO-1449, including copies of the references contained thereon, for filing in the U.S. Patent and Trademark Office.

The Commissioner is hereby authorized to charge any additional fee or credit overpayment to our Deposit Account No. 08-1290. An originally executed duplicate of this transmittal is enclosed for this purpose.

Dated:

May 24, 1999

Virginia S. Medlen

Registration No. 32,050

Please direct all communication to:

Peter G. Carroll Registration No. 32,837 MEDLEN & CARROLL, LLP 220 Montgomery Street, Suite 2200 San Francisco, California 94104 415/705-8410

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Richard P. Woychik et al.

Serial No.:

09/103,846

Group No.: 1643

Filed:

06/24/98

Examiner:

Entitled:

ALLELIC SERIES OF GENOMIC

MODIFICATIONS IN CELLS

INFORMATION DISCLOSURE STATEMENT

Mashington, D.C. 20231

CERTIFICATE OF MAILING UNDER 37 CFR § 1.8(a)

By:

Anne M. Neiswahder

Sir or Madam:

The citations listed below, copies attached, may be material to the examination of the above-identified application, and are therefore submitted in compliance with the duty of disclosure defined in 37 C.F.R. §§ 1.56 and 1.97. The Examiner is requested to make these citations of official record in this application.

The following patents are referred to in the body of the specification:

- U.S. Patent No. 4,683,195 issued July 28, 1987 to Mullis et al.;
- U.S. Patent No. 4,683,202 issued July 28, 1987 to Mullis; and
- U.S. Patent No. 4,965,188 issued Oct. 23, 1990 to Mullis et al.

The following printed publications are referred to in the body of the specification:

- Russell *et al.* (1979) "Specific-locus test shows ethylnitrosourea to be the most potent mutagen in the mouse," Proc. Natl. Acad. Sci. USA 76:5818-5819;
- Hitotsumachi *et al.* (1985) "Dose-repetition increases the mutagenic effectiveness of *N*-ethyl-*N*-nitrosourea in mouse spermatogonia," Proc. Natl. Acad. Sci. USA 82:6619-6621;

- Shedlovsky *et al.* (1993) "Mouse Models of Human Pheynlketonuia," Genetics 134:1205-1210;
- Marker et al. (1997) "Spectrum of Bmp5 Mutations From Germline Mutagenesis Experiments in Mice," Genetics 145:435-443;
- Zambrowicz *et al.* (1998) "Disruption and sequence identification of 2,000 genes in mouse embryonic stem cells," Nature 392:608-611;
- Maniatis et al. (1987) "Regulation of Inducible and Tissue-Specific Gene Expression," Science 236:1237-1245;
- Voss *et al.* (1986) "The role of enhancers in the regulation of cell-type-specific transcriptional control," Trends Biochem. Sci.11:287-289;
- Dijkema *et al.* (1985) "Cloning and expression of the chromosomal immune interferon gene of the rat," EMBO J. 4:761-767;
- Uetsuki et al. (1989) "Isolation and Characterization of the Human Chromosomal Gene for Polypeptide Chain Elongation Factor-1α*,"J. Biol. Chem. 264:5791-5798;
- Kim *et al.* (1990) "Use of the human elongation factor 1α promoter as a versatile and efficient expression system," Gene 91:217-223;
- Mizushima and Nagata (1990) "pEF-BOS, a powerful mammalian expression vector," Nuc. Acids. Res. 18:5322;
- Gorman *et al.* (1982) "The Rous sarcoma virus long terminal repeat is a strong promoter when introduced into a variety of eukaryotic cells by DNA-mediated transfection," Proc. Natl. Acad. Sci. USA 79:6777-6781;
- Boshart *et al.* (1985) "A Very Strong Enhancer is Located Upstream of an Immediate Early Gene of Human Cytomegalovirus," Cell 41:521-530;
- Kohler *et al.* (1993) "Spectrum of Mutation and Frequency of Allelic Deletion of the p53 Gene in Ovarian Cancer," J. Natl. Cancer Inst. 85(18):1513-1519;
- Greenman *et al.* (1998) "Identification of Missense and Truncating Mutations in the *BRCA1* Gene in Sporadic and Familial Breast and Ovarian Cancer," Genes, Chromosomes & Cancer 21(3):244-249;
- Zielenski and Tsui (1995) "Cystic Fibrosis: Genotypic and Phenotypic Variations," Ann. Rev. Genetics 29:777-807;

- Dean and Santis (1994) "Heterogeneity in the severity of cystic fibrosis and the role of CFTR gene mutations," Hum. Genet. 93(4):364-368;
- Sessa *et al.* (1997) "Autosomal dominant polycystic kidney disease: clinical and genetic aspects," J. Nephrol. 10(6):295-310;
- Watnick *et al.* (1997) "An unusual pattern of mutation in the duplicated portion of *PKD1* is revealed by use of a novel strategy for mutation detection," Human Molec. Genetics 6:1473-1481;
- Veldhuisen et al. (1997) "A Spectrum of Mutations in the Second Gene for Autosomal Dominant Polycystic Kidney Disease (PKD2)," Am. J. Hum. Genet. 61:547-555;
- Schulte-Merker *et al.* (1992) "The protein product of the zebrafish homologue of the mouse T gene is expressed in nuclei of the germ ring and the notochord of the early embryo," Development 116:1021-1032;
- Hermann *et al.* (1990) "Cloning of the *T* gene required in mesoderm formation in the mouse," Nature 343:617-622;
- Smith *et al.* (1990) "Expression of a Xenopus Homolog of *Brachyury (T)* Is an Immediate-Early Response to Mesoderm Induction," Cell 67:79-87;
- Blum *et al.* (1992) "Gastrulation in the Mouse: The Role of the Homeobox Gene *goosecoid*," Cell 69:1097-1106;
- Izpisua-Belmonte *et al.* (1993) "The Homeobox Gene *goosecoid* and the Origin of Organizer Cells in the Early Chick Blastoderm," Cell 76:645-659;
- Blumberg et al. (1991) "Organizer-Specific Homeobox Genes in Xenopus laevis Embryos," Science 253:194-196;
- Stachel *et al.* (1993) "Lithium perturbation and *goosecoid* expression identify a dorsal specification pathway in the pregastrula zebrafish," Development 117:1261-1274;
- Evans et al. (1981) "Establishment in culture of pluripotential cells from mouse embryos," Nature 292:154-156;
- Martin (1981) "Isolation of a pluripotent cell line from early mouse embryos cultured in medium conditioned by teratocarcinoma stem cells," Proc. Natl. Acad Sci. USA 78:7634-7638;

- Magnuson et al. (1982) "The development of monosomy 19 mouse embryos,"
 J. Embryo. Exp. Morph. 69:223-236;
- Doetschman *et al.* (1988) "Establishment of Hamster Blastocyst-Derived Embryonic Stem (ES) Cells," Dev. Biol. 127:224-227;
- Tokunaga et al. (1989) "Establishment of the Mouse Embryonic Stem Cell
 Lines from Whole Blastocysts and Isolated Inner Cell Masses," Jpn. J. Anim.
 Reprod. 35:173-178;
- Eistetter (1989) "Pluipotent Embryonal Stem Cell Lines Can Be Established from Disaggregated Mouse Morulae," Dev. Gro. Differ. 31:275-282;
- Matsui et al. (1992) "Derivation of Pluripotential Embryonic Stem Cells from Murine Primordial Germ Cells in Culture," Cell 70:841-847;
- Resnick *et al.* (1992) "Long-term proliferation of mouse primordial germ cells in culture," Nature 359:550-551;
- Doetschman *et al.* (1985) "The *in vitro* development of blastocyst-derived embryonic stem cell lines: formation of visceral yolk sac, blood islands and myocardium," J. Embryol. Exp. Morphol. 87:27-45;
- Lallemand *et al.* (1990) "An *in situ* assessment of the routes and extents of colonisation of the mouse embryo by embryonic stem cells and their descendants," Development 110:1241-1248;
- Bradley *et al.* (1984) "Formation of germ-line chimaeras from embryo-derived teratocarcinoma cell lines," Nature 309:255-256;
- Gossler *et al.* (1986) "Transgenesis by means of blastocyst-derived embryonic stem cell lines," Proc. Natl. Acad. Sci. USA 83:9065-9069;
- Robertson *et al.* (1986) "Germ-line transmission of genes introduced into cultured pluripotential cells by retroviral vector," Nature 323:445-448;
- Beddington *et al.* (1989) "An assessment of the developmental potential of embryonic stem cells in the midgestation mouse embryo," Development 105:733-737;
- Suemori *et al.* (1990) "A mouse embryonic stem cell line showing pluripotency of differentiation in early embryos and ubiquitous β-galactosidase expression," Cell Differ. Dev. 29:181-186;

- Strojek et al. (1990) "A Method for Cultivating Morphologically
 Undifferentiated Embryonic Stem Cells from Porcine Blastocysts,"
 Theriogenology 33:901-914;
- Piedrahita *et al.* (1990) "On the Isolation of Embryonic Stem Cells: Comparative Behavior of Murine, Porcine and Ovine Embros," Theriogenology 34:879-901;
- Notarianni *et al.* (1991) "Derivation of pluripotent, embryonic cell lines from the pig and sheep," J. Reprod. Fert. (Suppl.) 43:255-260;
- Saito *et al.* (1992) "Bovine embryonic stem cell-like cell lines cultured over several passages," Roux's Arch. Dev. Biol. 201:134-141;
- Stice *et al.* (1996) "Pluripotent Bovine Embryonic Cell Lines Direct Embryonic Development Following Nuclear Transfer," Biol. Reprod. 54:100-110;
- Sukoyan *et al.* (1992) "Isolation and Cultivation of Blastocyst-Derived Stem Cell Lines from American Mink (*Mustela vison*) Mol. Reprod. Dev. 33:418-431;
- Brenin *et al.* (1997) "Rat Embryonic Stem Cells: A Progress Report" Transplant Proc. 29:1761-1765;
- Iannaccone *et al.* (1994) "Pluripotent Embryonic Stem Cells from the Rat Are Capable of Producing Chimeras," Dev. Biol. 163:288-292;
- Sun *et al.* (1995) "ES-like cell cultures derived from early zebrafish embryos," Mol. Mar. Biol. Biotechnol. 4:193-199;
- Evans (1989) "Potential for Genetic Manipulation of Mammals," Mol. Bio.
 Med. 6:557-565;
- Johnson et al. (1989) "Genetic Correction of Hereditary Disease," Fetal Ther. 4 (Suppl.) 1:28-39;
- Babinet et al. (1989) "Transgenic Mice," Genome 31:938-949;
- Russell et al. (1990) "Factors affecting the nature of induced mutations," in Biology of Mammalian Germ Cell Mutagenesis, Banbury Report 34, Cold Spring Harbor Laboratory Press, pp. 271-289;
- Rinchik (1991) "Chemical mutagenesis and fine-structure functional analysis of the mouse genome," Trends in Genetics 7(1):15-21;

- Sehlmeyer and Wobus (1994) "Lower mutation frequences are induced by ENU in undifferentiated embryonic cells than in differentiated cells of the mouse in vitro," Mutation Research 324:69-76;
- Shibuya and Morimoto (1993) "A review of the genotoxicity of 1-ethyl-1-nitrosourea," Mutation Res. 297:3-38;
- Justice et al. (1988) "Three ENU-induced alleles of the murine quaking locus are recessive embryonic lethal mutations," Genet. Res. 51:95-102;
- Vitaterna et al. (1994) "Mutagenesis and Mapping of a Mouse Gene, Clock,
 Essential for Circadian Behavior," Science 264:719-725;
- Hammer et al. (1986) "Genetic Engineering of Mammalian Embryos," J.
 Animal Sci.:63:269-278;
- Hammer et al. (1985) "Production of transgenic rabbits, sheep and pigs by microinjection," Nature 315:680-683;
- Bradley et al. (1987) in Teratocarcinomas and Embryonic Stem Cells: A Practical Approach, Ed. Robertson E.J. (IRL, Oxford, U.K.), pp. 113-151;
- Nagy et al. (1990) "Embryonic stem cells alone are able to support fetal development in the mouse," Development 110:815-821;
- Miki et al. (1994) "A Strong Candidate for the Breast and Ovarian Cancer Susceptibility Gene BRCA1," Science 266:66-71; and
- Friedman *et al.* (1994) "Confirmation of *BRCA1* by analysis of germline mutations linked to breast and ovarian cancer in ten families," Nat. Genet. 8:399-404.

This Information Disclosure Statement under 37 C.F.R. §§ 1.56 and 1.97 is not to be construed as a representation that a search has been made, that additional information material to the examination of this application does not exist, or that any one or more of these citations constitutes prior art.

Dated: 24 May 1999

Virginia S Medlen Registration No. 32,050

Please direct all communication to:

Peter G. Carroll Registration No. 32,837